TOWN OF ALTA ORDINANCE NO. 2010-O-1

ADOPTION OF INTERNATIONAL FIRE CODE AND RELATED AMENDMENTS

AN ORDINANCE AMENDING THE ALTA TOWN CODE BY ADOPTING THE 2009 INTERNATIONAL FIRE CODE, ACCOMPANYING APPENDICES (EXCLUDING APPENDIX A), AMENDMENTS THERETOAND RELATED FEE SCHEDULES

The Town Council of the Town of Alta ordains as follows:

Sec. 1 . Adoption of International Fire Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from fire and explosion, the 2009 edition of the International Fire Code ("IFC"), and any subsequent editions, including the International Fire Code Standards, is hereby adopted including Appendices "B", "C", "D", "E", "F", "G", "H", "I" and "J" but not Appendix "A" thereof, with such amendments as are set forth below.
- B. Pursuant to UCA 10-3-711 (17-53-208), upon passage hereof, a copy of the International Fire Code shall be placed on file in the office of the Town Clerk for the use and examination of the public.

Sec. 2 . Amendments to the International Fire Code, 2009 Edition

- 1. The Town of Alta hereby adopts by reference and incorporates herein the amendments to the International Fire Code, 2009 Edition, adopted by the Utah State Legislature pursuant to Section 58-56-4 in House Bill 308 (2010 General Session).
- 2. Section 903.4.2 of the International Fire Code, 2009 Editions is amended to read as follows:

903.4.2 Alarms. Approved audible devices shall be connected to every automatic sprinkler system serving more than 20 fire sprinkler heads. Such sprinkler water flow alarm devices shall be activated by water flow equivalent to the flow of a single sprinkler of the smallest orifice size installed in the system. Alarm devices shall be provided on the exterior of the building and interior spaces per NFPA 72 in an approved location. With the exception of R-3 occupancies where a fire alarm system is installed, actuation of the automatic sprinkler system shall actuate the building fire alarm system.

Sec. 3 . Storage of Hazardous Materials.

The storage of Class I and Class II hazardous materials in above-ground or below-ground tanks, inside and outside of buildings is prohibited unless allowed by the zoning provisions applicable to the location in which the proposed tanks are to be located. In addition, the storage of Class I and Class II hazardous materials pursuant to this section is subject to the provisions of NFPA 30, 58 and 59A.

Sec. 4 Fees.

In accordance with IFC, Section 113, the Town of Alta hereby adopts by reference the fees for Hazardous Materials Permitting and Inspection, Fire Inspection, Fire Watch, Reinspection—Delay in Preparation at Work Site, and Blasting Permitting which are attached hereto as "Exhibit A". The fee schedule shall be placed on file in the office of the Town Clerk. All fees set out in Exhibit "A" shall be collected by and paid to the Unified Fire Authority at the time, the permit, inspection, re-inspection or Fire Watch staffing is requested

and shall be a condition for issuance of the permit and scheduling of the inspection, reinspection or Fire Watch staffing.

SECTION III. This ordinance shall become effective July 1, 2010 and upon one publication of this ordinance or a summary thereof in a newspaper having general circulation in Salt Lake County.

Approved and Adopted this \mathcal{H} day of \mathcal{L} , 2010.

Tom Pollard, Mayor



SUMMARY OF TOWN OF ALTA ORDINANCE NO. 2010-O-1

On the day of	, 2010, the Town Council of the Town of Alta
adopted Ordinance No.2010-0-1 which a	mends the Alta Town Code. This ordinance adopts
the International Fire Code, 2009 Edition	as amended by the legislature of the State of Utah
pursuant to UCA 58-56-4, adopts Appen	dices "B"-"J" to the International Fire Code, amends
provisions relating to fire alarms, regulat	es the storage of Class I and Class II hazardous
materials and adopts fee schedules .	
A complete copy of Ordinance N	o.2010-O-1 is available in the office of the Alta
Town Clerk, P.O. Box 8016, Alta, Utah	84092-8016 or by calling 801-363-5105.
	Alta Town Council
ATTEST:	By: Tom Pollard, Mayor
Katherine S.W. Black Town Clerk	

Cottonwood Heights

COTTONWOOD HEIGHTS

ORDINANCE No. 155

AN ORDINANCE REPEALING AND RE-ENACTING CHAPTER 9.65, COTTONWOOD HEIGHTS CODE OF ORDINANCES, ENTITLED "INTERNATIONAL FIRE CODE"

WHEREAS, effective 14 January 2005, the city council (the "Council") of the city of Cottonwood Heights (the "City") adopted a code of ordinances (the "Code") for the City; and

WHEREAS, Code Chapter 9.65 ("Chapter 9.65"), entitled "International Fire Code," concerns the City's adoption of the International Fire Code to prescribe regulations governing conditions hazardous to life and property from fire and explosion; and

WHEREAS, each of Utah's political subdivision must comply with the state fire code, and such compliance requires an amendment of the Code to reflect changes in state law concerning the fire code as they occur; and

WHEREAS, the Council met in regular meeting on 8 June 2010, to consider, among other things, repealing current Chapter 9.65 and re-enacting an amended Chapter 9.65 to, *inter alia*, adopt the 2009 International Fire Code, accompanying appendices (excluding Appendix A), amendments thereto, and related fee schedules, all in compliance with state law; and

WHEREAS, after careful consideration, the Council has determined that it is in the best interests of the health, safety, and welfare of its residents to so repeal current Chapter 9.65 and re-enact an amended Chapter 9.65 as proposed;

- NOW, THEREFORE, BE IT ORDAINED by the city council of the city of Cottonwood Heights as follows:
- Section 1. <u>Repeal of Current Chapter 9.65</u>. The Council hereby repeals current Chapter 9.65 of the Code.
- Section 2. <u>Enactment of Amended Chapter 9.65</u>. The Council hereby enacts amended Chapter 9.65 of the Code as shown on the attached exhibit.
- Section 3. <u>Action of Officers</u>. All actions of the officers, agents and employees of the City that are in conformity with the purpose and intent of this ordinance (this "Ordinance"), whether taken before or after the adoption hereof, are hereby ratified, confirmed and approved.
- Section 4. <u>Severability</u>. It is hereby declared that all parts of this Ordinance are severable, and if any section, paragraph, clause or provision of this Ordinance shall, for any reason, be held to be invalid or unenforceable, the invalidity or unenforceability of any such section, paragraph, clause or provision shall not affect the remaining sections, paragraphs, clauses or provisions of this Ordinance.

Section 5. <u>Repealer</u>. All ordinances or parts thereof in conflict with this Ordinance are, to the extent of such conflict, hereby repealed.

Section 6. <u>Effective Date</u>. This Ordinance, assigned no. 155, shall take immediate effect as soon as it shall be published or posted as required by law and deposited and recorded in the office of the City's recorder, or such later date as may be required by Utah statute.

PASSED AND APPROVED this 8th day of June 2010.

COTTONWOOD HEIGHTS CITY COUNCIL

2005	By Kelvyn H. Cullimore Jr., Mayor
Linda W. Dunlavy, Recorder	

VOTING:

Kelvyn H. Cullimore, Jr.	Yea / Nay
Gordon M. Thomas Absent	Yea Nay
J. Scott Bracken	Yea Nay
E. Nicole Omer	Yea Nay
Tee W. Tyler	Yea 🖊 Nay

DEPOSITED in the Recorder's office this 8th day of June 2010.

POSTED this ___ day of June 2010.

542307.1

Chapter 9.65

INTERNATIONAL FIRE CODE

Sections:

9.65.01	0 Ade	option	of Inter	rnationa	l Fire	Code

9.65.020 Amendments to IFC.

9.65.030 Storage of Hazardous Materials.

9.65.040 Fees.

9.65.050 Interpretation.

9.65.010 Adoption of International Fire Code.

A. In order to prescribe regulations governing conditions hazardous to life and property from fire and explosion, the city hereby adopts by this reference the 2009 edition of the International Fire Code and the International Fire Code Standards, and any subsequent editions ("IFC"), including Appendices "B," "C," "D," "E," "F," "G," "H," "I" and "J," but not Appendix "A" thereof, with such amendments as are set forth below.

B. Pursuant to *Utah Code Ann.* 10-3-711, a copy of the IFC has been filed in the office of the city recorder for use and examination by the public.

9.65.020 Amendments to IFC.

A. The City hereby adopts by reference and incorporates herein the amendments to the IFC adopted by the Utah State Legislature pursuant to *Utah Code Ann.* §58-56-4 enacted in HB 308 (2010 General Session).

B. Section 903.4.2 of the IFC is amended to read as follows:

903.4.2 Alarms. Approved audible devices shall be connected to every automatic sprinkler system serving more than 20 fire sprinkler heads. Such sprinkler water flow alarm devices shall be activated by water flow equivalent to the flow of a single sprinkler of the smallest orifice size installed in the system. Alarm devices shall be provided on the exterior of the building and interior spaces per NFPA 72 in an approved location. With the exception of R-3 occupancies where a fire alarm system is installed, activation of the automatic sprinkler system shall activate the building fire alarm system.

9.65.030 Storage of Hazardous Materials.

The storage of Class I and Class II hazardous materials in above-ground or below-ground tanks, inside and outside of buildings is prohibited unless allowed by the zoning provisions applicable to the location in which the proposed tanks are to be located. In addition, the storage of Class I and Class II hazardous materials pursuant to this section is subject to the provisions of NFPA 30, 58 and 59A.

9.65.040 Fees.

In accordance with IFC Section 113, the city adopts the fees for Hazardous Materials Permitting and Inspection, Fire Inspection, Fire Watch, Re-inspection—Delay in Preparation at Work Site, and Blasting Permitting as set forth below. All fees set forth below shall be collected by and paid to the Unified Fire Authority (or other fire and emergency services provider for the city) at the time, the permit, inspection, reinspection, or fire watch staffing is requested and shall

be a condition for issuance of the permit and scheduling of the inspection, reinspection or fire watch staffing.

Fee Schedule

<u>Material</u>	Solid Lbs.	Liquid Gal.	Gas Cub. Ft.	Fee's UFA
Hazardous Materials (Annually)	500 lbs. or less	55 gal. or less	200 cu. ft. or less Corrosive or Oxidizer, or 504 cu. ft. or less Oxygen	*\$195.00 Annually
Hazardous Materials (Annually)	Over 500 lbs.	Over 55 gal.	Over 200 cu. ft. Corrosive or Oxidizer, or over 504 cu. ft. Oxygen	*\$240.00 Annually
"H" Occupancy Backup Generator (Annually)	я			*\$145.00 Annually
"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		500 gal. or less tank	500 cu. ft. or less	*\$195.00 Annually
"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		Over 500 gal. tank	Over 500 cu. ft. or any highly toxic gas	*\$485.00 Annually
Other Occupancy Hazardous Materials Permit Dispense and Use. (Annually)	/	500 gal. or more tank	500 cu. ft. or more	**\$195.00 Annually
Aerosol products (Annually)			Over 500 lbs. Level 2 or 3 Aggregate Qty.	*\$195.00 Annually
Flammable Cryogenic Fluid (Annually)		Indoors 1 gal. or more, Outdoors 60 gal. or more		**\$195.00 Annually
Above Ground Tanks Installation (Flammable)	2000		500 cu.ft. or less R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour
Below Ground Tanks Installation (Flammable)			500 cu.ft. or less R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour

Above Ground Tanks Installation (Flammable)		500 gal. or more		*\$395.00 **\$75.00 per hour
Below Ground Tanks Installation (Flammable)	4	500 gal. or more		*\$395.00 **\$75.00 per hour
Pyroxylin plastics. Cellulose nitrate (pyroxylin) plastics (Annually)	25 lbs. or more		500	\$195.00 (Annually)
Body Shop/Garage Under 5,000 sq. ft. (Annually)				\$195.00 (Annually)
Fireworks – Outdoor Public Display (per event). Cities, County Exempt		3		*\$485.00 (Per Event) **75.00 per hour per inspector
Open Flame Proximal Audience Indoor Approved Fireworks (Per Event)		ø		*\$195.00 (Per Event) **\$75.00 per hour
Application of Flammable Finishes, Spray, or Dip		-	nable liquid spray llons for dip tank	**\$195.00
Blasting permit		18		\$75.00 per site, \$350.00 annually
Fire Standby Special Events			1	**\$75.00 per hour per fire inspector
Re-inspection fee, delay in preparation at worksite	-			**\$75.00 first hour, doubles every hour thereafter.

* Fees are assessed separately.

Authorization by code:

IFC 105.1.1 Permits required, fees can be assessed IFC 113.1 Permit Fees

IFC 105.1.2 Types of permits

IFC 105.2.2 Inspections authorized

9.65.050 Interpretation.

In the event of any conflict between the provisions of the applicable fire code and the provisions of any other applicable ordinance, statute, rule or regulation, the more restrictive

^{**} Fees are assessed cumulatively (added to baseline permit fee).

provisions shall apply.

542361.1

Drape

ORDINANCE NO. 940

A DRAPER CITY ORDINANCE AMENDING SECTION 10-2-090 OF THE DRAPER CITY MUNICIPAL CODE; ADOPTING THE 2009 INTERNATIONAL FIRE CODE AND APPENDICES; ENACTING SECTION 10-2-091 TO AMEND SECTION 903.4.2 OF THE FIRE CODE; ENACTING SECTION 10-2-092 REGARDING THE STORAGE OF HAZARDOUS MATERIALS, AND ENACTING SECTION 10-2-093, ADOPTING THE UNIFIED FIRE AUTHORITY'S FIRE PREVENTION PERMIT FEE SCHEDULE.

WHEREAS, to conform with State statue and policies there is a need to update Draper City's Municipal Code to adopt the current version of the International Fire Code and to provide policy regarding regulations governing conditions hazardous to life and property from fire and explosion; and

WHEREAS, the Unified Fire Authority recommends the adoption of this ordinance; and

WHEREAS, the City desires to amend the City Code to provide regulations to increase safety and reduce risk exposures;

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF DRAPER, STATE OF UTAH, AS FOLLOWS:

SECTION I. Amendment. Draper City Municipal Code 10-2-090 is hereby amended to read:

Section 10-2-090 Fire Code.

- (a) For the purpose of prescribing regulations governing conditions hazardous to life and property from fire and explosion, the International Fire Code (IFC), 2009 edition and any subsequent editions, is hereby adopted, including the Referenced Standards and Appendices "B," "C," "D," "E," "F," "G," "H," "I," and "J" but not Appendix "A" thereof, with such amendments as are set forth in this chapter.
- (b) Pursuant to Utah Code Ann. 10-3-711, a copy of the IFC shall be placed and kept on file in the office of the City Recorder for the use and examination of the public.

SECTION II. Enactment. Draper City Municipal Code 10-2-091 is hereby enacted to read:

Section 10-2-091 Amendments to the International Fire Code, 2009 Edition.

(a) Draper City hereby adopts by reference and incorporates herein the statewide amendments and additions to the International Fire Code, 2009 Edition, adopted by the Utah State Legislature pursuant to Section 58-56-4 in House Bill 308 (2010 General Session), a copy of which is attached as Exhibit A and by this reference made a part hereof.

SECTION VI: <u>General Repealer</u>. Ordinances in conflict herewith are hereby repealed to the extent of the conflict.

SECTION VII: Effective Date. This Ordinance shall become effective upon recording by the City Recorder, and 20 days after publication or posting or 30 days after final passage by the City Council, whichever is sooner.

PASSED AND ADOPTED BY THE CITY COUNCIL OF DRAPER CITY, STATE OF UTAH, ON THIS 4th DAY OF may, 2010.

ATTEST:

DRAPER CITY

City Recorder

Darrell H. Smith, Mayor

1	STATE FIRE CODE ADOPTION
2	2010 GENERAL SESSION
3	STATE OF UTAH
4	Chief Sponsor: Todd E. Kiser
5	Senate Sponsor: Curtis S. Bramble
6 7	LONG TITLE
8	LONG TITLE Convert Description
	General Description:
9	This bill adopts the State Fire Code in accordance with the Utah Fire Prevention and
10	Safety Act.
11	Highlighted Provisions:
12	This bill:
13	includes general provisions; and
14	adopts the State Fire Code.
15	Monies Appropriated in this Bill:
16	None
17	Other Special Clauses:
18	This bill takes effect on July 1, 2010.
19	Uncodified Material Affected:
20	ENACTS UNCODIFIED MATERIAL
21	
22	Be it enacted by the Legislature of the state of Utah:
23	Section 1. Title Definitions General provisions.
24	(1) This bill is known as the "State Fire Code Adoption Act."
25	(2) As used in this bill:
26	(a) "Board" means the Utah Fire Prevention Board created in Utah Code, Section
27	<u>53-7-203.</u>
8	(b) "Division" means the State Fire Marshal Division created in Utah Code, Section
Q	53-7-103

58	Control and Fire Protection of Commercial Cooking Operations, 2008 edition, except as
59	amended by State Fire Code, Part 2, Statewide Amendments and Additions.
60	Part 2. Statewide Amendments and Additions
61	Section 201. Amendments and additions IFC.
62	The following amendments and additions are adopted for application statewide:
63	(1) For IFC, Scope and Administration:
64	(a) IFC, Chapter 1, Section 105.6.16, Flammable and combustible liquids, is amended
65	to add the following section: "12. The owner of an underground tank that is out of service for
66	longer than one year, shall receive a Temporary Closure Notice from the Department of
67	Environmental Quality and a copy shall be given to the AHJ."
68	(b) IFC, Chapter 1, Section 109.2, Notice of violation, is amended as follows: On line
69	three after the words "is in violation of this code," insert in the section the phrase "or other
70	pertinent laws or ordinances".
71	(2) For IFC, Definitions:
72	(a) IFC, Chapter 2, Section 202, General Definitions, Occupancy Classification,
73	Educational Group E, Day care, is amended as follows: On line three delete the word "five"
74	and replace it with the word "four".
75	(b) IFC, Chapter 2, Section 202, General Definitions, Occupancy Classification,
76	Institutional Group I, Group I-1, is amended as follows: On line 10 add "Type I" in front of the
77	words "Assisted living facilities".
78	(c) IFC, Chapter 2, Section 202, General Definitions, Occupancy Classification,
79	Institutional Group I, Group I-2, is amended as follows:
80	(i) On line three delete the word "for" and insert the following into the sentence "on a
81	24 hour basis of more than three".
82	(ii) On line 10 after the words "Nursing homes" add the following: "both intermediate
83	nursing care and skilled nursing care facilities, ambulatory surgical centers with five or more
84	operating rooms where care is less than 24 hours, and Type II assisted living facilities. Type II
85	assisted living facilities with five or fewer persons shall be classified as a Group R-4. Type II

114	requirements of the International Residential Code as adopted in the State Construction Code,
115	may require an automatic fire sprinkler system for the structure only by ordinance and only if
116	any of the following conditions exist:
117	(i) the structure:
118	(A) is located in an urban-wildland interface area as provided in the Utah Wildland
119	Urban Interface Code adopted as a construction code under the State Construction Code; and
120	(B) does not meet the requirements described in Utah Code, Subsection
121	65A-8-203(3)(a) and Utah Administrative Code, R652-122-200, Minimum Standards for
122	Wildland Fire Ordinance;
123	(ii) the structure is in an area where a public water distribution system with fire
124	hydrants does not exist as required in Utah Administrative Code, R309-550-5, Water Main
125	Design;
126	(iii) the only fire apparatus access road has a grade greater than 10% for more than
127	500 continual feet; or
128	(iv) (A) the water supply to the structure does not provide at least 500 gallons fire flow
129	per minute for a minimum of 30 minutes, if the total square foot living space of the structure is
130	equal to or less than 5,000 square feet;
131	(B) the water supply to the structure does not provide at least 750 gallons per minute
132	fire flow for a minimum of 30 minutes, if the total square foot living space exceeds 5,000
133	square feet, but is equal to or less than 10,000 square feet; or
134	(C) the water supply to the structure does not provide at least 1,000 gallons per minute
135	fire flow for a minimum of 30 minutes, if the total square foot living space exceeds 10,000
136	square feet.
137	(b) In IFC, Chapter 5, a new Section 507.1.1, Isolated one- and two-family dwellings,
138	is added as follows: "Fire flow may be reduced for an isolated one- and two-family dwelling
139	when the authority having jurisdiction over the dwelling determines that the development of a
140	full fire-flow requirement is impractical."
141	(6) For IFC, Building Services and Systems:

170	fire department vehicle access."
171	(g) IFC, Chapter 9, Section 903.2.8 Group R, is amended to add the following:
172	"Exception: Detached one- and two-family dwellings and multiple single-family dwellings
173	(townhouses) constructed in accordance with the International Residential Code for one- and
174	two-family dwellings."
175	(h) IFC, Chapter 9, Section 903.2.8, Group R, is amended to add a second exception
176	as follows: "Exception: Group R-4 fire areas not more than 4,500 gross square feet and not
177	containing more than 16 residents, provided the building is equipped throughout with an
178	approved fire alarm system that is interconnected and receives its primary power from the
179	building wiring and a commercial power system."
180	(i) IFC, Chapter 9, Section 903.2.9, Group S-1, Subsection 2, is deleted and rewritten
181	as follows: "A Group S-1 fire area is located more than three stories above the lowest level of
182	fire department vehicle access."
183	(j) (i) IFC, Chapter 9, Section 903.2.10, Group S-2 enclosed parking garages, is
184	deleted and rewritten as follows: "An automatic sprinkler system shall be provided throughout
185	buildings classified as parking garages in accordance with Section 406.2 of the International
186	Building Code or where located beneath other groups."
187	(ii) IFC, Chapter 9, Section 903.2.10, Group S-2 enclosed parking garages, the
188	exception is deleted and rewritten as follows: "Exception: Parking garages of less than 5,000
189	square feet (464m2) accessory to Group R-3 occupancies."
190	(iii) IFC, Chapter 9, Section 903.2.10, Group S-2 enclosed parking garages, is
191	amended to add a second exception, as follows: "Exception: Open parking garages not located
192	beneath other groups if one of the following conditions are met:
193	1. Access is provided for fire fighting operations to within 150 feet (45 720mm) of all
194	portions of the parking garage as measured from the approved fire department vehicle access,
195	<u>or.</u>
196	2. Class I standpipes are installed throughout the parking garage."
197	(k) IFC, Chapter 9, Section 903.2.10.1, Commercial parking garages, is deleted and

226	(q) IFC, Chapter 9, Section 904.11.6.2, Extinguishing system service, is amended to
227	add the following: "Exception: Automatic fire extinguishing systems located in occupancies
228	where usage is limited and less than six consecutive months, may be serviced annually if the
229	annual service is conducted immediately before the period of usage, and approval is received
230	from the AHJ."
231	(r) IFC, Chapter 9, Section 905.11, Existing buildings, and IFC, Chapter 46, Section
232	4603.5, Standpipes, are deleted.
233	(s) IFC, Chapter 9, Section 907.3, Where required in existing buildings and structures,
234	is deleted, and IFC, Chapter 46, Section 4603.6, Fire alarm systems are deleted and rewritten
235	as follows: "An approved automatic fire detection system shall be installed in accordance with
236	the provisions of this code and NFPA 72. Devices, combinations of devices, appliances, and
237	equipment shall be approved. The automatic fire detectors shall be smoke detectors, except an
238	approved alternative type of detector shall be installed in spaces such as boiler rooms where,
239	during normal operation, products of combustion are present in sufficient quantity to actuate a
240	smoke detector."
240 241	smoke detector." (t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended
241	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended
241 242	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall
241242243	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after
241242243244	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after sensitivity testing with unwarranted nuisance alarms shall be replaced as directed by the AHJ."
241242243244245	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after sensitivity testing with unwarranted nuisance alarms shall be replaced as directed by the AHJ." (u) IFC, Chapter 9, Section 907.10, Carbon monoxide alarms, is added as follows:
241242243244245246	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after sensitivity testing with unwarranted nuisance alarms shall be replaced as directed by the AHJ." (u) IFC, Chapter 9, Section 907.10, Carbon monoxide alarms, is added as follows: "Carbon monoxide alarms shall be installed on each habitable level of a dwelling unit or
241242243244245246247	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after sensitivity testing with unwarranted nuisance alarms shall be replaced as directed by the AHJ." (u) IFC, Chapter 9, Section 907.10, Carbon monoxide alarms, is added as follows: "Carbon monoxide alarms shall be installed on each habitable level of a dwelling unit or sleeping unit in Groups R-2, R-3, R-4, and I-1 equipped with fuel burning appliances.
 241 242 243 244 245 246 247 248 	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after sensitivity testing with unwarranted nuisance alarms shall be replaced as directed by the AHJ." (u) IFC, Chapter 9, Section 907.10, Carbon monoxide alarms, is added as follows: "Carbon monoxide alarms shall be installed on each habitable level of a dwelling unit or sleeping unit in Groups R-2, R-3, R-4, and I-1 equipped with fuel burning appliances. 901.10.21.1. If more than one carbon monoxide detector is required they shall be
 241 242 243 244 245 246 247 248 249 	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after sensitivity testing with unwarranted nuisance alarms shall be replaced as directed by the AHJ." (u) IFC, Chapter 9, Section 907.10, Carbon monoxide alarms, is added as follows: "Carbon monoxide alarms shall be installed on each habitable level of a dwelling unit or sleeping unit in Groups R-2, R-3, R-4, and I-1 equipped with fuel burning appliances. 901.10.21.1. If more than one carbon monoxide detector is required they shall be interconnected as required in IFC, Chapter 9, Section 907.2.11.3.
 241 242 243 244 245 246 247 248 249 250 	(t) IFC, Chapter 9, Section 907.9.5, Maintenance, inspection, and testing, is amended to add the following sentences at the end of the section: "Increases in nuisance alarms shall require the fire alarm system to be tested for sensitivity. Fire alarm systems that continue after sensitivity testing with unwarranted nuisance alarms shall be replaced as directed by the AHJ." (u) IFC, Chapter 9, Section 907.10, Carbon monoxide alarms, is added as follows: "Carbon monoxide alarms shall be installed on each habitable level of a dwelling unit or sleeping unit in Groups R-2, R-3, R-4, and I-1 equipped with fuel burning appliances. 901.10.21.1. If more than one carbon monoxide detector is required they shall be interconnected as required in IFC, Chapter 9, Section 907.2.11.3.

282	(e) IFC, Chapter 10, Section 1013.2, Height, is amended to add the following
283	exception: "5. For occupancies in Group R-3 and within individual dwelling units in
284	occupancies in Group R-2, as applicable in Section 101.2, guards shall form a protective
285	barrier not less than 36 inches (914mm)."
286	(f) IFC, Chapter 10, Section 1015.2.2, Three or more exits or exit access doorways, is
287	amended to add the following sentence at the end of the section: "Additional exits or exit
288	access doorways shall be arranged a reasonable distance apart so that if one becomes blocked,
289	the others will be available."
290	(g) IFC, Chapter 10, Section 1024, Luminous Egress Path Markings, is deleted.
291	(h) IFC, Chapter 10, Section 1030.2, Reliability, is amended to add the following: On
292	line six after the word "fire" add the words "and building".
293	(9) For IFC, Explosives and Fireworks:
294	(a) IFC, Chapter 33, Section 3301.1.3, Fireworks, Exception 4 is amended to add the
295	following sentence at the end of the exception: "The use of fireworks for display and retail
296	sales is allowed as set forth in Utah Code, Title 53, Chapter 7, Sections 53-7-220 through
297	53-7-225; Utah Code, Title 11, Chapter 3, County and Municipal Fireworks Act; Utah
298	Administrative Code, R710-2; and the State Fire Code."
299	(10) For IFC, Flammable and Combustible Liquids:
300	(a) IFC, Chapter 34, Section 3401.4, Permits, is amended to add the following at the
301	end of the section: "The owner of an underground tank that is out of service for longer than
302	one year, shall receive a Temporary Closure Notice from the Department of Environmental
303	Quality and a copy shall be given to the AHJ."
304	(b) IFC, Chapter 34, Section 3406.1, General, is amended to add the following special
305	operation: "8. Sites approved by the AHJ".
306	(c) IFC, Chapter 34, Section 3406.2, Storage and dispensing of flammable and
307	combustible liquids on farms and construction sites, is amended to add the following: On line
308	five after the words "borrow pits" add the words "and sites approved by the AHJ".
309	(11) For IFC, Liquefied Petroleum Gas:

338	fire alarm control unit(s), notification appliance circuit power extenders, and supervising
339	station transmitting equipment to provide notification of fire at the location."
340	(f) In NFPA 72, Chapter 4, Section 4.4.5, a new Exception 1, is added as follows:
341	"When ambient conditions prohibit installation of automatic smoke detection, automatic heat
342	detection shall be permitted."
343	(g) In NFPA 72, Chapter 6, Section 6.8.5.9, Signal Initiation Fire Pump, Subsection
344	6.8.5.9.3 is added as follows: "Automatic fire pumps shall be supervised in accordance with
345	NFPA 20, Standard for the Installation of Stationary Pumps for Fire Protection, and the AHJ."
346	(h) NFPA 72, Chapter 7, Section 7.4.1, General Requirements, Subsection 7.4.1.2, is
347	amended as follows: On line three delete "110dBA" and replace it with "120dBA".
348	(i) NFPA 72, Chapter 8, Section 8.3.4, Indication of Central Station Service,
349	Subsection 8.3.4.7 is amended as follows: On line two, after the word "notified" insert the
350	words "without delay".
351	(j) NFPA 72, Chapter 10, Section 10.2.2.5, Service Personnel Qualifications and
352	Experience, Subsection 10.2.2.5.1, is deleted and rewritten as follows: "Service personnel shall
353	be qualified and experienced in the inspection, testing, and maintenance of fire alarm systems.
354	Qualified personnel shall meet the certification requirements stated in Utah Administrative
355	Code, R710-11-3, Fire Alarm System Inspecting and Testing."
356	(2) NFPA 1124 Manufacture, Transportation, Storage, and Retail Sales of Fireworks
357	and Pyrotechnic Articles:
358	(a) In NFPA 1124, Chapter 7, Section 7.2, Special Limits for Retail Sales of
359	Consumer Fireworks, Subsection 7.2.8 is added as follows: "Display of Class C common state
360	approved explosives inside of buildings protected throughout with an automatic fire sprinkler
361	system shall not exceed 25 percent of the area of the retail sales floor or exceed 600 square
362	feet, whichever is less."
363	(b) In NFPA 1124, Chapter 7, Section 7.2, Special Limits for Retail Sales of
364	Consumer Fireworks, Subsection 7.2.9 is added as follows: "Rack storage of Class C common
365	state approved explosives inside of buildings is prohibited."

EXHIBIT B UFA FIRE PREVENTION PERMIT FEE SCHEDULE

USAU in reservential or recommendation of the comment of the comme

·			·	
Material	Solid Lbs.	Liquid Gal.	Gas Cub. Ft.	Fee's UFA
Above Ground Tanks Installation (Flammable)			≤500 Cub. Ft. R-3 Occup. Exempt.	*\$195.00, **\$75.00 per hour
Below Ground Tanks Installation (Flammable)			≤500 Cub. Ft. R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour
Above Ground Tanks Installation (Flammable)		≥500 gal		*\$395.00 **\$75.00 per hour
Below Ground Tanks Installation (Flammable)		<u>></u> 500gal		*\$395.00 **\$75.00 per hour
Pyroxylin plastics. cellulose nitrate (pyroxylin) plastics (Annually)	≥25 pounds			*\$195.00 (Annually)
Body Shop/Garage under 5,000 sq. ft. (Annually)	-			*\$195.00 (Annually)
Fire works — Outdoor Public Display (Per Event) Cities, County Exempt		el .		*\$485.00 (Per Event) **\$75.00 per hour per inspector
Open Flame Proximal Audience Indoor Approved Fireworks (Per Event)				*\$195.00 (Per Event) **\$75.00 per hour
Application of Flammable Finishes, Spray or Dip	More than 9 sq. ft. for flammable liquid spray application or >55 gallons for dip tank operations.			**\$195.00 2

Affidavit of Posting

SALT LAKE COUNTY, STATE OF UTAH

I, the City Recorder of Draper City, by my signature below, certify that copies of Ordinance No. 940 for the City of Draper, which Passed and Adopted by the City Council of Draper City, State of Utah on the 4th day of May, 2010 were posted at the following places: Draper City Bulletin Board, Salt Lake County Library, Draper Crescent Senior Citizens Center, within the municipality.

Posted: May 6, 2010 through May 26, 2010

City Seal

OF DRAG

Tracy B. Norr, MMC

City Recorder

Draper City, State of Utah

HERRIMAN, UTAH ORDINANCE NO. 10-25

FIRE BUILDING CODE

AN ORDINANCE RESTATING CHAPTER 4-1 OF THE HERRIMAN CODE OF ORDINANCES BY ADOPTING THE 2009 INTERNATIONAL FIRE CODE, ACCOMPANYING APPENDICES (EXCLUDING APPENDIX A), AMENDMENTS THERETO, AND RELATED FEE SCHEDULES

WHEREAS, the Herriman City Council ("Council") met in regular meeting on May 20, 2010, to consider, among other things, restating Chapter 4-1 of the Herriman Code of Ordinances by adopting the 2009 International Fire Code, accompanying Appendices (excluding Appendix A), Amendments thereto, and related Fee Schedules; and

WHEREAS, each political subdivision must comply with the State Fire Code, and such compliance requires an amendment of the City's ordinances to reflect the changes in State law; and

WHEREAS, the Council determines that it is in the best interests of the health, safety, and welfare of its residents to amend Chapter 4-1 of the Herriman Code of Ordinances by adopting the 2009 International Fire Code, accompanying Appendices (excluding Appendix A), Amendments thereto, and related Fee Schedules.

NOW, THEREFORE, BE IT ORDAINED by the Council as follows:

Chapter 4-1 of the Herriman Code of Ordinances is hereby restated to read as follows:

4-1-1: ADOPTION OF INTERNATIONAL FIRE CODE.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from fire and explosion, the 2009 edition of the International Fire Code ("IFC"), and any subsequent editions, including the International Fire Code Standards, is hereby adopted, including Appendices "B", "C", "D", "E", "F", "G," "H," "I," and "J," but not Appendix "A" thereof, with such amendments as are set forth below.
- B. Pursuant to Utah Code Ann. 10-3-711, a copy of the IFC has been filed in the office of the city recorder for use and examination by the public.

4-1-2: AMENDMENTS TO IFC:

- A. The City hereby adopts by reference and incorporates herein the amendments to the IFC, adopted by the Utah State Legislature pursuant to Utah Code Ann. § 58-56-4 in House Bill 308 (2010 General Session).
- B. Section 903.4.2 of the IFC is amended to read as follows:

903.4.2 Alarms. Approved audible devices shall be connected to every automatic sprinkler system serving more than 20 fire sprinkler heads. Such sprinkler water flow alarm devices shall be activated by water flow equivalent to the flow of a single sprinkler of the smallest orifice size installed in the system. Alarm devices shall be provided on the exterior of the building and interior spaces per NFPA 72 in an approved location. With the exception of R-3 occupancies where a fire alarm system is installed, activation of the automatic sprinkler system shall activate the building fire alarm system.

4-1-3: STORAGE OF HAZARDOUS MATERIALS:

The storage of Class I and Class II hazardous materials in aboveground or below-ground tanks, inside and outside of buildings is prohibited unless allowed by the zoning provisions applicable to the location in which the proposed tanks are to be located. In addition, the storage of Class I and Class II hazardous materials pursuant to this section is subject to the provisions of NFPA 30, 58 and 59A.

4-1-4: FEES:

In accordance with IFC, Section 113, the City adopts the fees for Hazardous Materials Permitting and Inspection, Fire Inspection, Fire Watch, Re-inspection—Delay in Preparation at Work Site, and Blasting Permitting as set forth below. All fees set forth below shall be collected by and paid to the Unified Fire Authority at the time, the permit, inspection, re-inspection, or Fire Watch staffing is requested and shall be a condition for issuance of the permit and scheduling of the inspection, re-inspection or Fire Watch staffing.

Fee Schedule

<u>Material</u>	Solid Lbs.	Liquid Gal.	Gas Cub. Ft.	Fee's UFA
Hazardous Materials (Annually)	>500 lbs.	>55 gal.	>200 cub. ft. COR., OX. & O-2	*\$195.00 Annually
Hazardous Materials (Annually)	>501 lbs.	>56 gal.	>504 cub. ft. COR., OX. & O-2	*\$240.00 Annually
"H" Occupancy Backup Generator (Annually)				*\$145.00 Annually

"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		>500 gal. tank	>500 cub. ft.	*\$195.00 Annually
"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		>500 gal. Tank	>500 cub. ft. or any highly toxic gas	*\$485.00 Annually
Other Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		>500 gal. Tank	>500 gal. cyl.	**\$195.00 Annually
Aerosol products (Annually)			>500 lbs. Level 2 or 3 Aggregate Qty.	*\$195.00 Annually
Flammable Cryogenic Fluid (Annually)		Inside >1 Outside >60 gal.		**\$195.00 Annually
Above Ground Tanks Installation (Flammable)			>500 gal. R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour
Below Ground Tanks Installation (Flammable)			>500 gal. R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour
Above Ground Tanks Installation (Flammable)		>500 gal.		*\$395.00 **\$75.00 per hour
Below Ground Tanks Installation (Flammable)		>500 gal.		*\$395.00 **\$75.00 per hour
Pyroxylin plastics. Cellulose Nitrate (pyroxylin) plastics (Annually)	>25 lbs.	9		\$195.00 (Annually)
Body Shop/Garage Under 5,000 sq. ft. (Annually)				\$195.00 (Annually)

Fireworks – Outdoor				*\$485.00
Public Display (Per				(Per Event)
Event) Cities, County				**75.00 per hour
Exempt				per inspector
Open Flame Proximal				*\$195.00
Audience Indoor				(Per Event)
Approved Fireworks (Per				**\$75.00 per
Event)				hour
A 11 (1 C	7.6	0 0 0		
Application of			nable liquid spray	**\$195.00
Flammable Finishes,	1 ^ ^	application or >55 gallons for dip tank		
Spray, or Dip	operations.			
Blasting permit				\$75.00 per site,
				\$350.00
				annually
Fire Standby Special				**\$75.00 per
Events				hour per fire
				inspector
Re-inspection fee, delay				**\$75.00 first
in preparation at worksite				hour, doubles
				every hour
				thereafter.

This Ordinance, assigned Ordinance No. 10-25 shall take effect as soon as it shall be published or posted as required by law, deposited, and recorded in the office of the City Recorder, and accepted as required herein.

PASSED AND APPROVED this 20th day of May 2010.

HERRIMAN CITY COUNCIL

Joshua E. Mills, Mayor

ATTEST:

Kristi Peterson, CMC

City Recorder



VOTING:

Joshua E Mills	Yea X Nay
Mike Day	Yea X Nay
Matt Robinson	Yea X Nay
Craig B. Tischner	Yea X Nay

CERTIFICATE OF POSTING

STATE OF UTAH)	
)	SS
COUNTY OF SALT LAKE)	

I, Kristi Peterson, do hereby certify that I am the duly appointed, qualified and acting City Recorder for Herriman, State of Utah, and do further certify that the foregoing is a true and correct copy of

ORDINANCE NO. 10-25

FIRE BUILDING CODE

AN ORDINANCE RESTATING CHAPTER 4-1 OF THE HERRIMAN CODE OF ORDINANCES BY ADOPTING THE 2009 INTERNATIONAL FIRE CODE, ACCOMPANYING APPENDICES (EXCLUDING APPENDIX A), AMENDMENTS THERETO, AND RELATED FEE SCHEDULES

This Ordinance was duly adopted by Herriman City Council at a meeting duly called and held in Herriman, Utah on the 20th day of May 2010 at the hour of 7:00 o'clock P.M. of said day, and I certify that after its passage I caused to be posted a copy of the Ordinance in the following location:

- 1. Herriman Community Center bulletin board, main floor 13011 S Pioneer Street (6000 West)
- 2. Herriman Smith's Marketplace located at 5560 West 13400 South
- 3. Herriman City Website: www.Herriman.org

Kristi Peterson, CMC Herriman City Recorder



Holliday

CITY OF HOLLADAY

ORDINANCE NO. 2010-12

AN ORDINANCE REPEALING AND RE-ENACTING CHAPTER 9.76, CITY OF HOLLADAY CODE OF ORDINANCES, ENTITLED "INTERNATIONAL FIRE CODE"

WHEREAS, effective 22 October 1999, the city council (the "Council") of the City of Holladay (the "City") adopted a code of ordinances (the "Code") for the City; and

WHEREAS, Code Chapter 9.76 ("Chapter 9.76"), entitled "International Fire Code," concerns the City's adoption of the International Fire Code to prescribe regulations governing conditions hazardous to life and property from fire and explosion; and

WHEREAS, each of Utah's political subdivision must comply with the state fire code, and such compliance requires an amendment of the Code to reflect changes in state law concerning the fire code as they occur; and

WHEREAS, the Council met in regular meeting on the 17th day of June, 2010, to consider, among other things, repealing current Chapter 9.65 and re-enacting an amended Chapter 9.76 to, inter alia, adopt the 2009 International Fire Code, accompanying appendices (excluding Appendix A), amendments thereto, and related fee schedules, all in compliance with state law; and

WHEREAS, after careful consideration, the Council has determined that it is in the best interests of the health, safety, and welfare of its residents to so repeal current Chapter 9.76 and re-enact an amended Chapter 9.76 as proposed;

Now, THEREFORE, BE IT ORDAINED by the city council of the City of Holladay as follows:

- Section 1. Repeal of Current Chapter 9.76. The Council hereby repeals current Chapter 9.76 of the Code.
- Section 2. Enactment of Amended Chapter 9.76. The Council hereby enacts amended Chapter 9.76 of the Code as shown on the attached exhibit.
- Section 3. Action of Officers. All actions of the officers, agents and employees of the City that are in conformity with the purpose and intent of this ordinance (this "Ordinance"), whether taken before or after the adoption hereof, are hereby ratified, confirmed and approved.

2820024.01.03.doc 0894253/HCH/msp (2820024)

Severability. It is hereby declared that all parts of this Ordinance are Section 4. severable, and if any section, paragraph, clause or provision of this Ordinance shall, for any reason, be held to be invalid or unenforceable, the invalidity or unenforceability of any such section, paragraph, clause or provision shall not affect the remaining sections, paragraphs, clauses or provisions of this Ordinance.

Repealer. All ordinances or parts thereof in conflict with this Ordinance Section 5. are, to the extent of such conflict, hereby repealed.

Effective Date. This Ordinance, assigned no. 155, shall take immediate Section 6. effect as soon as it shall be published or posted as required by law and deposited and recorded in the office of the City's recorder, or such later date as may be required by Utah statute.

PASSED AND APPROVED this 17th day of

June, 2010.			
HOLLADAY CITY C	OUNCIL		
Ву:		L	
Dennis R. Web	ob, Mayor		
VOTING:			
Lynn N. Pace			
J. James Palmer, Jr.	Yea 🗸	. Nay	_
Sabrina R. Petersen	Yea 🗸	Nay	_
Patricia Pignanelli	Yea 🗸	Nay	_
E. Barry Topham	Yea 🗸	Nay	_
Dennis R. Webb	Yea	Nay	_(absent)

[SEAL]



ATTEST:

Stephanie N. Carlson, MMC

City Recorder

DEPOSITED in the office of the City Recorder this 17th day of June, 2010.

RECORDED this 17th day of June, 2010.

Chapter 9.76

INTERNATIONAL FIRE CODE

Sections:

- 9.76.010 Adoption of International Fire Code.
- 9.76.020 Amendments to IFC.
- 9.76.030 Storage of Hazardous Materials.
- 9.76.040 Fees.
- 9.76.050 Interpretation.

9.76.010 Adoption of International Fire Code.

- A. In order to prescribe regulations governing conditions hazardous to life and property from fire and explosion, the city hereby adopts by this reference the 2009 edition of the International Fire Code and the International Fire Code Standards, and any subsequent editions ("IFC"), including Appendices "B," "C," "D," "E," "F," "G," "H," "I" and "J," but not Appendix "A" thereof, with such amendments as are set forth below.
- B. Pursuant to *Utah Code Ann.* 10-3-711, a copy of the IFC has been filed in the office of the city recorder for use and examination by the public.

9.76.020 Amendments to IFC.

- A. The City hereby adopts by reference and incorporates herein the amendments to the IFC adopted by the Utah State Legislature pursuant to *Utah Code Ann.* §58-56-4 enacted in HB 308 (2010 General Session).
 - B. Section 903.4.2 of the IFC is amended to read as follows:
- 903.4.2 Alarms. Approved audible devices shall be connected to every automatic sprinkler system serving more than 20 fire sprinkler heads. Such sprinkler water flow alarm devices shall be activated by water flow equivalent to the flow of a single sprinkler of the smallest orifice size installed in the system. Alarm devices shall be provided on the exterior of the building and interior spaces per NFPA 72 in an approved location. With the exception of R-3 occupancies where a fire alarm system is installed, activation of the automatic sprinkler system shall activate the building fire alarm system.

9.76.030 Storage of Hazardous Materials.

The storage of Class I and Class II hazardous materials in above-ground or below-ground tanks, inside and outside of buildings is prohibited unless allowed by the zoning provisions applicable to the location in which the proposed tanks are to be located. In addition, the storage of Class I and Class II hazardous materials pursuant to this section is subject to the provisions of NFPA 30, 58 and 59A.

9.76.040 Fees.

In accordance with IFC Section 113, the city adopts the fees for Hazardous Materials Permitting and Inspection, Fire Inspection, Fire Watch, Re-inspection—Delay in Preparation at Work Site, and Blasting Permitting as set forth below. All fees set forth below shall be collected by and paid to the Unified Fire Authority (or other fire and emergency services provider for the city) at the time, the permit, inspection, reinspection, or fire watch staffing is requested and shall

be a condition for issuance of the permit and scheduling of the inspection, reinspection or fire watch staffing.

Fee Schedule

<u>Material</u>	Solid Lbs.	<u>Liquid Gal.</u>	Gas Cub. Ft.	Fee's UFA
Hazardous Materials (Annually)	500 lbs. or less	55 gal. or less	200 cu. ft. or less Corrosive or Oxidizer, or 504 cu. ft. or less Oxygen	*\$195.00 Annually
Hazardous Materials (Annually)	Over 500 lbs.	Over 55 gal.	Over 200 cu. ft. Corrosive or Oxidizer, or over 504 cu. ft. Oxygen	*\$240.00 Annually
"H" Occupancy Backup Generator (Annually)				*\$145.00 Annually
"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		500 gal. or less tank	500 cu. ft. or less	*\$195.00 Annually
"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		Over 500 gal. tank	Over 500 cu. ft. or any highly toxic gas	*\$485.00 Annually
Other Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		500 gal. or more tank	500 cu. ft. or more	**\$195.00 Annually
Aerosol products (Annually)			Over 500 lbs. Level 2 or 3 Aggregate Qty.	*\$195.00 Annually
Flammable Cryogenic Fluid (Annually)		Indoors 1 gal. or more, Outdoors 60 gal. or more		**\$195.00 Annually
Above Ground Tanks Installation (Flammable)			500 cu.ft. or less R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour

Below Ground Tanks Installation (Flammable)			500 cu.ft. or less R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour
Above Ground Tanks Installation (Flammable) Below Ground Tanks		500 gal. or more 500 gal. or	Dionip.	*\$395.00 **\$75.00 per hour *\$395.00
Installation (Flammable)		more		**\$75.00 per hour
Pyroxylin plastics. Cellulose nitrate (pyroxylin) plastics (Annually)	25 lbs. or more			\$195.00 (Annually)
Body Shop/Garage Under 5,000 sq. ft. (Annually)				\$195.00 (Annually)
Fireworks Outdoor Public Display (per event). Cities, County Exempt				*\$485.00 (Per Event) **75.00 per hour per inspector
Open Flame Proximal Audience Indoor Approved Fireworks (Per Event)				*\$195.00 (Per Event) **\$75.00 per hour
Application of Flammable Finishes, Spray, or Dip			nable liquid spray llons for dip tank	**\$195.00
Blasting permit				\$75.00 per site, \$350.00 annually
Fire Standby Special Events				**\$75.00 per hour per fire inspector
Re-inspection fee, delay in preparation at worksite				**\$75.00 first hour, doubles every hour thereafter.

* Fees are assessed separately.

** Fees are assessed cumulatively (added to baseline permit fee).

Authorization by code:

IFC 105.1.1 Permits required, fees can be assessed IFC 113.1 Permit Fees

IFC 105.1.2 Types of permits

IFC 105.2.2 Inspections authorized

9.76.050 Interpretation.

In the event of any conflict between the provisions of the applicable fire code and the provisions of any other applicable ordinance, statute, rule or regulation, the more restrictive provisions shall apply.

Satt Lare don Riverton

CERTIFICATE OF POSTING

STATE OF UTAH)	
)	SS
COUNTY OF SALT LAKE)	

I, Virginia Loader, certify that I am the duly appointed, qualified and acting

City Recorder for Riverton City, State of Utah, and do hereby certify that Ordinance No. 10-07

entitled:

"Adoption of International Fire Code and Related Amendments"

was duly adopted by the Riverton City Council at a meeting duly called and held in Riverton, Utah, on the 15th day of June, 2010 at the hour of 6:30 p.m. of said day, and I certify that after its passage I caused to be posted a copy of the Ordinance in the following locations:

- 1. City Office located at 12830 South 1700 West;
- 2. Riverton Library;
- 3. Riverton City Website.

The Ordinance was then filed in the office of the City Recorder.

Dated this 16th day of June 2010.

DEAL 1941

Virginia/Loader Riverton City Recorder

a Hader

RIVERTON CITY, UTAH ORDINANCE NO. 10-07

ADOPTION OF INTERNATIONAL FIRE CODE AND RELATED AMENDMENTS

AN ORDINANCE:1) AMENDING TITLE 10, CHAPTER 1 OF THE RIVERTON CITY MUNICIPAL CODE, BY ADOPTING THE 2009 INTERNATIONAL FIRE CODE, ACCOMPANYING APPENDICES, EXCLUDING APPENDIX A); AND 2) AMENDING TITLE 15 OF THE RIVERTON CITY MUNICIPAL CODE BY ADOPTING SEVERAL INTERNATIONAL CODES GOVERNING DEVELOPMENT OF PROPERTY, ACCOMPANYING APPENDICES, AMENDMENTS THERETO AND RELATED MATTERS

The Legislative Body of Riverton City ordains as follows:

SECTION I. Sections 10-1-50 and 10-1-51 of the Riverton City Municipal Code, is hereby adopted and shall read as follows:

10-1-50. Adoption of International Fire Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from fire and explosion, the 2009 edition of the International Fire Code, and any subsequent editions, including the International Fire Code Standards, is hereby adopted including Appendices "B", "C", "D", "E", "F", "G", "H", "I" and "J" but not Appendix "A" thereof, with such amendments as are set forth below.
- B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the International Fire Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.
- C. The storage of Class I and Class II hazardous materials in above-ground or below-ground tanks, inside and outside of buildings is prohibited unless allowed by the zoning provisions applicable to the location in which the proposed tanks are to be located. In

addition, the storage of Class I and Class II hazardous materials pursuant to this section is subject to the provisions of NFPA 30, 58 and 59A.1

10-1-51. Amendments to the International Fire Code, 2009 Edition

- A. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the International Fire Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 308 (2010 General Session).
- B. Section 903.4.2 of the International Fire Code, 2009 Edition is amended to read as follows:
 - 903.4.2 Alarms. Approved audible devices shall be connected to every automatic sprinkler system serving more than 20 fire sprinkler heads. Such sprinkler water flow alarm devices shall be activated by water flow equivalent to the flow of a single sprinkler of the smallest orifice size installed in the system. Alarm devices shall be provided on the exterior of the building and interior spaces per NFPA 72 in an approved location. With the exception of R-3 occupancies where a fire alarm system is installed, actuation of the automatic sprinkler system shall actuate the building fire alarm system.

SECTION II. Sections 15-50-101 through 15-500-108 of the Riverton City Municipal Code, is hereby adopted and shall read as follows:

15-50-101. Adoption of 2009 International Plumbing Code.

A. For the purpose of prescribing regulations governing conditions hazardous to life and property from improperly constructed water and sewer waste management systems, the 2009 edition of the International Plumbing Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the International Plumbing Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).

B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the International Plumbing Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-102. Adoption of 2009 International Building Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from improperly constructed buildings, the 2009 edition of the International Building Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the International Building Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).
- B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the International Building Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-103. Adoption of 2009 International Residential Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from improperly constructed residential dwellings, the 2009 edition of the International Residential Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the International Residential Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).
- B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the International Residential Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-104. Adoption of the 2009 International Mechanical Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from improperly constructed buildings, the 2009 edition of the International Mechanical Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the International Mechanical Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).
- B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the International Mechanical Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-105. Adoption of 2009 International Energy Conservation Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from wasteful energy consumption in inefficient buildings, the 2009 edition of the International Energy Conservation Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the International Energy Conservation Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).
- B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the International Building Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-106. Adoption of 2009 International Fuel Gas Code.

A. For the purpose of prescribing regulations governing conditions hazardous to life and property from improperly constructed gas transmission systems, the 2009 edition of

the International Fuel Gas Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the International Fuel Gas Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).

B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the International Fuel Gas Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-107. Adoption of 2006 Utah Wildland Urban Interface Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from impacts related to development in wildlands, the 2006 edition of the Utah Wildland Urban Interface Code, and any subsequent editions, is hereby adopted.

 Riverton City hereby adopts by reference and incorporates herein the amendments to the 2006 edition of the Utah Wildland Urban Interface Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).
- B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2006 edition of the Utah Wildland Urban Interface Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-108. Adoption of 2009 International Property Maintenance Code.

A. For the purpose of prescribing regulations governing conditions hazardous to life and property from improperly maintained property, the 2009 edition of the Property Maintenance Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2009 edition of the

International Property Maintenance Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).

B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2009 edition of the Property Maintenance Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

15-50-109. Adoption of 2008 National Electrical Code.

- A. For the purpose of prescribing regulations governing conditions hazardous to life and property from improperly designed electrical systems, the 2008 edition of the National Electrical Code, and any subsequent editions, is hereby adopted. Riverton City hereby adopts by reference and incorporates herein the amendments to the 2008 edition of the National Electrical Code, adopted by the Utah State Legislature pursuant to Utah Code Section 58-56-4 in House Bill 045 (2010 General Session).
- B. Pursuant to Utah Code Annotated §10-3-711, upon passage hereof, a copy of the 2008 edition of the National Electrical Code shall be placed on file in the office of the Riverton City Recorder for the use and examination of the public.

SECTION III. All prior ordinances adopted by the Riverton City Council deemed to be inconsistent with this ordinance are herby repealed as of the effective date of this ordinance, but only to the extent said prior ordinances are found to be inconsistent.

SECTION IV. The Riverton City Recorder is hereby authorized to codify Ordinance No. 10-07 in a manner deemed appropriate by the Riverton City Recorder into the Riverton City Municipal Code. The Riverton City Recorder is further authorized to make subsequent revisions to code numbers assigned to the substantive provisions of this ordinance in any manner deemed necessary by the City Recorder; provided, however that the City recorder

may not codify this ordinance in a manner which changes the substantive meaning of the ordinance.

SECTION V. This ordinance shall become effective June 30, 2010 and upon one publication of this ordinance or a summary thereof in a newspaper having general circulation in Salt Lake County.

PASSED AND APPROVED by the City Council of Riverton, Utah, this 15th day of June 2010 by the following vote:

Voting Record:		
Karma Bentson	✓ Yes	No
Randy Brinkerhoff	✓ Yes	No
Al Leavitt	✓ Yes	No
Tracy Thaxton	Yes _	No
Roy Tingey	/ Yes	No.

RIVERTON CITY

William R. Applogarth, Mayo

ATTEST:

Virginia Loader, MMC

City Recorder

SALT LAKE COUNTY ORDINANCE

ORDINANCE No. 1478

June 8, 2010

FIRE CODE AMENDMENTS

AN ORDINANCE AMENDING CHAPTER 9.77, ENTITLED "FIRE CODE" OF THE SALT LAKE COUNTY CODE OF ORDINANCES, 2001, IS ENACTED TO ADOPT, FOR SALT LAKE COUNTY, THE INTERNATIONAL FIRE CODE, WITH CERTAIN CHANGES AND AMENDMENTS; TO ADOPT REGULATIONS REGARDING THE STORAGE OF HAZARDOUS MATERIALS; TO PROVIDE FOR ADOPTING FEES; AND MAKING OTHER RELATED CHANGES.

The County Legislative Body of Salt Lake County ordains as follows:

SECTION I. The amendments made here are designated by underlining the new substituted words. Words deleted are designated by brackets and interlineation.

SECTION II. Section 9.77.010 of the Salt Lake County Code of Ordinances, 2001, is amended to read as follows:

9.77.010 Adoption of International Fire Code.

A. For the purposes of prescribing regulations governing conditions hazardous to life and property from fire and explosion, the [2003] 2009 edition of the International fire Code ("IFC"), and any subsequent editions, including the international Fire Code Standards, is hereby adopted as recommended by the International Code Council and the International Conference of Building Officials, and as adopted by the Utah Fire Prevention Boards, including Appendices "B," "C," "D," "E," "F," and "G," but not Appendix "A" thereof, with such amendments as set forth below. The IFC is hereby incorporated as if set out at length herein, and from the effective date of this chapter, the provisions thereof shall be controlling within the unincorporated limits of the county.

B. Pursuant to Section [10-3-711] 17-53-208(5), Utah Code Annotated, 1953 as amended, a copy of the IFC has been filed for use and examination by the public in the office of the county clerk [prior to the adoption of this chapter].

SECTION III. Section 9.77.020 of the Salt Lake County Code of Ordinances, 2001, is repealed and reenacted to read as follows:

9.77.020 Amendments to the International Fire Code.

A. [Section 109.3 of the International Fire Code is amended to read as follows:

109.3 Penalties. Any person convicted of violating any provision of the IFC shall be guilty of a class B misdemeanor and such violations shall be punished by a fine not exceeding one thousand dollars or by imprisonment for a term not longer than six months, or by both such fine and imprisonment. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

B. Section 3204.3.1.1 is amended to read as follows:

3204.3.1.1 Location. Stationary containers shall be located in accordance with Section 3203.6 as prescribed by the county's zoning ordinances.

C. Section 3404.2.9.5.1 is amended to read as follows:

3404.2.9.5.1 Locations where above ground tanks are prohibited. Storage of Class I and II liquids in above ground tanks outside of buildings is prohibited as prescribed by the county's zoning ordinances.

D. Section 3406.2.4.4 is amended to read as follows:

3406.2.4.4 Locations where above ground tanks are prohibited. Storage of Class I and II liquids in above ground tanks are prohibited as prescribed by the county's zoning ordinances.

E. Section 3804.2 is amended to read as follows:

3804.2 Prohibition of storage of liquefied petroleum gas. Storage of liquefied petroleum gas at any one location shall not exceed a water capacity aggregate of two thousand gallons is prohibited as prescribed by the county's zoning ordinances.

There is hereby adopted, by reference and incorporation herein, amendments to the International Fire Code, 2009, which were adopted by the Utah State Legislature in section 58.56.4. (House Bill 308—2010).

B. Section 903.4.2 of the International Fire Code, 2009 edition, is amended to read as follows:

903.4.2. Alarms. Approved audible devices shall be connected to every automatic sprinkler system serving more than 20 fire sprinkler heads. Such sprinkler water flow alarm devices shall be activated by water flow equivalent to the flow of a single sprinkler of the smallest orifice size installed in the system. Alarm devices shall be provided on the exterior of the building and interior spaces per National Fire Protection Association (NFPA) 72 in an approved location. With the exception of R-3 occupancies, where a fire alarm system is installed, actuation of the automatic sprinkler system shall also actuate the building fire alarm system.

SECION IV. Section 9.77.030 of the Salt Lake County Code of Ordinances, 2001, is repealed and reenacted to read as follows:

9.77.030 [Severability.] Storage of Hazardous Materials.

[If any provision of this chapter is declared to be invalid by a court of competent jurisdiction, the remainder shall not be affected thereby.]

The storage of Class I and Class II hazardous materials, in above –ground or belowground tanks, inside or outside of buildings, is prohibited unless allowed by the zoning provisions applicable to the location in which the proposed tanks are sited. In addition, the storage of Class I and Class II hazardous materials pursuant to this section is subject to the provisions of NFPA 30, 58 and 59A.

SECTION V. Section 9.77.040 of the Salt Lake County Code of Ordinances, 2001, is hereby enacted to read as follows:

9.77.040 Fees.

The fee schedule for hazardous materials permitting and inspection, fire inspection, fire watch, reinspection, delay in preparation at work site, and blasting permitting are adopted by separate council resolution. The fee schedule shall be placed on file in the office of county clerk. All fees shall be collected by and paid to the Unified Fire Authority at the time of the permit, inspection, reinspection or fire watch staffing is requested and shall be a condition of issuing the permit and scheduling the inspection, reinspection or fire watch staffing.

SECTION VI. This ordinance shall become effective July 1, 2010, after its passage and upon at least one publication of the ordinance or a summary thereof in a newspaper having general circulation in Salt Lake County.

APPROVED AND ADDOPTED this 7 day of

SALT LAKE COUNTY COUNCIL

ATTEST:

APPROVED AS TO FORM:

Sherrie Swensen, Salt Lake County Clerk

Debuty District Attorney, Salt Lake County

H-\SHARE\NicholR\GJA\Ordinances\Fire Code 9.77 Amendment doc

ORDINANCE HISTORY

	Council Member Bradley of Council Member Burdick of Council Member DeBry von Council Member Hatch von Council Member Horiuchi Council Member Iwamoto Council Member Jensen von Council Member Wilde von Council Member Wilson von	voting pting voting voting voting voting voting voting voting pting voting voting voting voting voting voting voting voting	1 1
Vetoed and dated this d	ay of	_, 2010.	
	By Mayor Peter Corro	on or Designee	
20	(Complete As Veto override: Yes_ No_ Ordinance published in ne Effective date of ordinance	Date_ wspaper: Date	_

SUMMARY OF

SALT LAKE COUNTY ORDINANCE NO. 1678

On the 3th day of 2010, the County Council of Salt Lake County adopted Ordinance No. 1678, which amends chapter 9.77 of the Salt Lake County Code of Ordinances, 2001, entitled "Fire Code" enacting and adopting for Salt Lake County the International Fire Code with certain changes and amendments adopting regulations regarding the storage of hazardous materials; adopting fees; and making other related changes.

SALT LAKE COUNTY COUNCIL

ATTEST:

APPROVED AS TO FORM:

Sherrie Swensen, Salt Lake County Clerk

Deputy District Attorney, Salt Lake County

H:\SHARE\NicholR\GJA\Ordinances\Fire Code 9.77 Amendment docx

Council Member Bradley voting

Council Member Burdick voting

Council Member DeBry voting

Council Member Hatch voting

Council Member Horiuchi voting

Council Member Iwamoto voting Council Member Jensen voting

Council Member Wilde voting

Council Member Wilson voting

A Complete copy of Ordinance No. 1678 is available in the office of the Salt Lake County Clerk, 2001 South State Street, N2100A, Salt Lake City, Utah.

- JAY 1011 >UITE

CERTIFICATE OF POSTING

STATE OF UTAH)	
)	SS
COUNTY OF SALT LAKE)	

I, Cheryl Peacock Cottle, do hereby certify that I am the duly appointed, qualified and acting City Recorder for the City of Taylorsville, State of Utah, and do hereby certify that the foregoing is a true and correct copy of Ordinance No. 10-13 entitled:

"Amending Section 9.40 of the Taylorsville Code of Ordinances by Adopting the 2009 International Fire Code, Accompanying Appendices (Excluding Appendix A), Amendments Thereto, and Related Fee Schedules"

duly adopted by the City of Taylorsville, by the City Council thereof at a meeting duly called and held in Taylorsville, Utah, on the 19th day of May, 2010, at the hour of 6:30 p.m. of said day, and I certify that after its passage I caused to be posted a copy of the Ordinance in the following locations:

- 1. City Office located at 2600 West Taylorsville Boulevard;
- 2. Taylorsville Senior Center located at 4743 South Plymouth View Dr.;
- 3. Salt Lake County Park Library located at 4870 South 2700 West.

Dated this 26th day of May, 2010.

SEAL:



Cheryl Peacock Cottle

Taylorsville City Recorder

TAYLORSVILLE, UTAH ORDINANCE NO. 10-13

AN ORDINANCE AMENDING SECTION 9.40 OF THE TAYLORSVILLE CODE OF ORDINANCES BY ADOPTING THE 2009 INTERNATIONAL FIRE CODE, ACCOMPANYING APPENDICES (EXCLUDING APPENDIX A), AMENDMENTS THERETO, AND RELATED FEE SCHEDULES

WHEREAS, the Taylorsville City Council ("Council") met in regular meeting on May 19, 2010, to consider, among other things, amending Section 9.40 of the Taylorsville Code of Ordinances by adopting the 2009 International Fire Code, accompanying Appendices (excluding Appendix A), Amendments thereto, and related Fee Schedules; and

WHEREAS, each political subdivision must comply with the State Fire Code, and such compliance requires an amendment of the City's ordinances to reflect the changes in State law; and

WHEREAS, the Council determines that it is in the best interests of the health, safety, and welfare of its residents to amend Section 9.40 of the Taylorsville Code of Ordinances by adopting the 2009 International Fire Code, accompanying Appendices (excluding Appendix A), Amendments thereto, and related Fee Schedules.

NOW, THEREFORE, BE IT ORDAINED by the Council as follows:

Section 9.40 of the Taylorsville Code of Ordinances is hereby amended to read as follows:

9.40.010: ADOPTION OF INTERNATIONAL FIRE CODE.

A. For the purpose of prescribing regulations governing conditions hazardous to life and property from fire and explosion, the 2003 2009 edition of the International Fire Code ("IFC"), and any subsequent editions, including the International Fire Code Standards, is hereby adopted as recommended by the International Code Council and the International Conference of Building Officials, and as adopted by the Utah fire prevention board, including Appendices "B", "C", "D", "E", "F", "G," "H," "I," and "J," but not Appendix "A" thereof, with such amendments as are set forth below. The IFC is hereby incorporated as if set out at length herein, and from the effective date hereof, the provisions thereof shall be controlling within the corporate limits of the municipality.

B. Pursuant to Utah Code Annotated Ann. 10-3-711, 1953, a copy of the eode IFC has been filed in the office of the city recorder for use and examination by the public in the office of the city recorder prior to the adoption of this chapter. (Ord. 05-08, 2-16-2005)

9.40.020: AMENDMENTS TO IFCCODE:

- A. Section 109.3 of the international fire code is amended to read as follows:
 - 109.3 Penalties. Any person convicted of violating any provision of the IFC shall be guilty of a class B misdemeanor and such violations shall be punished by a fine not exceeding one thousand dollars (\$1,000) or by imprisonment for a term not longer than six (6) months, or by both such fine and imprisonment. Each day that a violation continues after due notice has been served shall be deemed a separate offense.
- B. Section 3204.3.1.1 is amended to read as follows:
 - 3204.3.1.1 Location. Stationary containers shall be located in accordance with section 3203.6 as prescribed by this municipality's zoning ordinances.
- C. Section 3404.2.9.5.1 is amended to read as follows:
 - 3404.2.9.5.1 Locations Where Above Ground Tanks Are Prohibited. Storage of class I and II liquids in above ground tanks outside of buildings is prohibited as prescribed by this municipality's zoning ordinances.
- D. Section 3406.2.4.4 is amended to read as follows:
 - 3406.2.4.4 Locations Where Above-Ground Tanks Are Prohibited. Storage of class I and II liquids in above-ground tanks is prohibited as prescribed by this municipality's zoning ordinances.
- E. Section 3804.2 is amended to read as follows:
 - 3804.2 Prohibition Of Storage Of Liquified Petroleum Gas. Storage of liquified petroleum gas at any one location shall not exceed a water capacity aggregate of 2000 gallons is prohibited as prescribed by this municipality's zoning ordinances. (Ord. 05-08, 2-16-2005)

- A. The City hereby adopts by reference and incorporates herein the amendments to the IFC, adopted by the Utah State Legislature pursuant to Utah Code Ann. § 58-56-4 in House Bill 308 (2010 General Session).
- B. Section 903.4.2 of the IFC is amended to read as follows:
 - 903.4.2 Alarms. Approved audible devices shall be connected to every automatic sprinkler system serving more than 20 fire sprinkler heads. Such sprinkler water flow alarm devices shall be activated by water flow equivalent to the flow of a single sprinkler of the smallest orifice size installed in the system. Alarm devices shall be provided on the exterior of the building and interior spaces per NFPA 72 in an approved location. With the exception of R-3 occupancies where a fire alarm system is installed, activation of the automatic sprinkler system shall activate the building fire alarm system.

9.40.030: STORAGE OF HAZARDOUS MATERIALS:

The storage of Class I and Class II hazardous materials in above-ground or below-ground tanks, inside and outside of buildings is prohibited unless allowed by the zoning provisions applicable to the location in which the proposed tanks are to be located. In addition, the storage of Class I and Class II hazardous materials pursuant to this section is subject to the provisions of NFPA 30, 58 and 59A.

9.40.040: FEES:

In accordance with IFC, Section 113, the City adopts the fees for Hazardous Materials Permitting and Inspection, Fire Inspection, Fire Watch, Re-inspection—Delay in Preparation at Work Site, and Blasting Permitting as set forth below. All fees set forth below shall be collected by and paid to the Unified Fire Authority at the time, the permit, inspection, reinspection, or Fire Watch staffing is requested and shall be a condition for issuance of the permit and scheduling of the inspection, reinspection or Fire Watch staffing.

Fee Schedule

<u>Material</u>	Solid Lbs.	Liquid Gal.	Gas Cub. Ft.	Fee's UFA
<u>Hazardous Materials</u> (Annually)	>500 lbs.	<u>>55 gal</u> .	>200 cub. ft. COR., OX. & O-2	*\$195.00 Annually
Hazardous Materials (Annually)	≥501 lbs.	>56 gal.	>504 cub. ft. COR., OX. & O-2	*\$240.00 Annually
"H" Occupancy Backup Generator (Annually)				*\$145.00 Annually

"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		>500 gal. tank	>500 cub. ft.	*\$195.00 Annually
"H" Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		>500 gal. <u>Tank</u>	>500 cub. ft. or any highly toxic gas	*\$485.00 Annually
Other Occupancy Hazardous Materials Permit Dispense and Use. (Annually)		>500 gal. Tank	≥500 gal. cyl.	**\$195.00 Annually
Aerosol products (Annually)			>500 lbs. Level 2 or 3 Aggregate Qty.	*\$195.00 Annually
Flammable Cryogenic Fluid (Annually)		Inside >1 Outside >60 gal.		**\$195.00 Annually
Above Ground Tanks Installation (Flammable)			≥500 gal. R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour
Below Ground Tanks Installation (Flammable)			>500 gal. R-3 Occup. Exempt.	*\$195.00 **\$75.00 per hour
Above Ground Tanks Installation (Flammable)		>500 gal.		*\$395.00 **\$75.00 per hour
Below Ground Tanks Installation (Flammable)		≥500 gal.		*\$395.00 **\$75.00 per hour
Pyroxylin plastics. Cellulose Nitrate (pyroxylin) plastics (Annually)	>25 lbs.			\$195.00 (Annually)
Body Shop/Garage Under 5,000 sq. ft. (Annually)				\$195.00 (Annually)

Fireworks – Outdoor Public Display (Per Event) Cities, County Exempt		*\$485.00 (Per Event) **75.00 per hour per inspector
Open Flame Proximal Audience Indoor Approved Fireworks (Per Event)		*\$195.00 (Per Event) **\$75.00 per hour
Application of Flammable Finishes, Spray, or Dip	More than 9 sq. ft. for flammable liquid spray application or >55 gallons for dip tank operations.	**\$195.00
Blasting permit		\$75.00 per site, \$350.00 annually
Fire Standby Special Events		**\$75.00 per hour per fire inspector
Reinspection fee, delay in preparation at worksite		**\$75.00 first hour, doubles every hour thereafter.

This Ordinance, assigned Ordinance No. 10-13, shall take effect as soon as it shall be published or posted as required by law, deposited, and recorded in the office of the City Recorder, and accepted as required herein.



VOTING:	/
Dama Barbour	Yea Nay
Bud Catlin	Yea Nay
Larry Johnson	Yea 🖊 Nay
Morris K. Pratt	Yea Nay
Jerry W. Rechtenbach	Yea Nay
	27

PRESENTED to Mayor of Taylorsville for his approval this day of	
, 2010.	
APPROVED this 36 day of May, 2010.	
ATTROVED unis 61 9 unis of 1	
9/ (1)	
Thus Wall	
Russ Wall, Mayor	

ATTEST:
Cheryl Peacock Cottle, Recorder

DEPOSITED in the Recorder's office this Abday of May

POSTED this 26 day of May, 2010.

40205.04